ZENITH STUDY HUB

Business Marketing

UNIT II | B2B MARKETING

Organizational buying, responsible strategy, research and segmentation

SPPU TE Robotics & Automation | 2024 Pattern



Figure 1. Original unit overview: buyer understanding, responsibility and evidence-based market segmentation.

Source and content policy
The connected Google Drive teaching PDF *Unit 2_Business To Business Marketing* was opened and read. The separate two-page SPPU Business Marketing syllabus defines four official Unit II areas. These notes keep that order and add original robotics examples and arithmetic. Illustrative numerical values and business scenarios are hypothetical. The lecture's sweeping prescriptions, including a supposed universal 50/50 marketing-budget rule and fixed buying-committee size, are identified as context-dependent rather than established rules.

Review edition | 21 November 2026 **Official teaching allocation:** 7 hours

Official Unit II Coverage Map

Official syllabus topic	What this guide explains
Behaviour and principles in B2B marketing	Buying centers, derived demand, business purchasing situations, value, account strategy, stakeholder evidence, metrics
Responsible B2B strategy	Ethical procurement, evidence, transparent claims, data stewardship, measurable controls and risk
Researching B2B markets	Research questions, sources, interviews and surveys, sampling, market sizing, research bias and competitor analysis
Business market segmentation	Firmographics, nested segmentation, need-based groups, ICP, measurable targeting, hypothetical scoring

Read critically
Teaching slides describe useful *possibilities*, not universal laws. Organizations vary greatly. Some purchases are made by a single authorized buyer; other investments involve multiple departments. Some B2B customers choose on total lifecycle cost rather than initial price. A market segment should be supported by evidence, not a stereotype.

1 Behaviour and Principles in B2B Marketing

1.1 How industrial marketing differs from consumer selling

Business-to-business (B2B) marketing offers goods, software, expertise or services to organizations for their operations, resale or production. It can involve high technical specificity, derived demand, contract terms, multiple roles and long service commitments. These are *common characteristics*, not requirements that apply to every business sale. A standardized replacement part may be reordered quickly; a robotics line may require engineering trials, financial approval and a long acceptance process.

In simple language
A factory considering a vision inspection system is not buying only a camera. It wants repeatable quality decisions, acceptable false rejects, integration with its PLC and evidence that downtime and operator intervention can be managed.

1.2 Derived demand and the industrial value chain

Derived demand means that demand for some upstream goods and services ultimately depends on demand for another product or activity. If an automotive plant changes production volume, its requirements for components, packaging, inspection services and some maintenance activities may change. However, stocks, capacity plans and contracts can delay or moderate the effect. **Derived does not mean immediately identical.**



Figure 2. Original simplified industrial purchasing process: requirements, buying-center review, qualification and operating performance.

1.3 The buying center: one decision, several criteria

A buying center may comprise users, initiators, influencers, purchasing agents, deciders and gatekeepers. Actual role counts vary: one person can cover multiple functions, or an organization can use more stakeholders. In a robot-cell tender, engineering examines performance and integration; operations examines uptime; procurement compares suppliers and terms; finance tests value and budget; EHS reviews relevant safety obligations.

Stakeholder-specific evidence
Engineering: repeatability, drawings, interfaces. Operations: recovery procedures and maintenance. Finance: total cost and risk. Procurement: delivery, warranty and financial terms. An ethical vendor adapts the *information presented*, not the truth of the evidence.

1.4 New task, modified rebuy and straight rebuy



Figure 3. Original comparison of three widely taught organizational purchasing situations.

A **new task** is a first-time or substantially unfamiliar requirement, often needing extensive evaluation. A **modified rebuy** revisits an existing specification, vendor or term. A **straight rebuy** routinely repeats an established order. Even routine reorders may involve compliance and quality checks.

Worked classification
A food-processing plant buys its first robotic palletizer: *new task*. It changes the packaging-line sensor supplier due to quality defects: *modified rebuy*. It repeats an approved bearing purchase within a supplier contract: *straight rebuy*.

1.5 Seven useful B2B marketing practices

1. **Understand account needs:** diagnose process pain points, not just company size.

2. **Develop proof:** publish test conditions, customer acceptance criteria and relevant case evidence.
3. **Target accounts selectively:** give high-value prospects appropriately tailored demonstrations.
4. **Support the entire buying team:** answer engineering, user and finance questions distinctly.
5. **Balance awareness and action:** combine long-term trust-building with current lead-generation needs; budget allocation is situational.
6. **Coordinate marketing and sales:** define handoffs and follow-up responsibilities.
7. **Measure outcomes:** use qualified pipeline, conversion and retention together with customer satisfaction and compliance.

1.6 Account-based marketing (ABM) versus mass outreach

ABM concentrates attention on a chosen set of business accounts. It is suitable when potential accounts are identifiable and each could justify tailored sales and technical effort. Broad outreach can be more economical for standardized low-value catalog products. ABM does not require intruding on employees' private information or misrepresenting prior relationships.

Concrete hypothetical ABM approach
A robot integrator identifies ten automobile-component factories. It asks each plant about current bottlenecks, prepares a short technical audit and offers relevant evidence for an inspection-cell design. The integrator must secure consent before using customer operational data or photographs in public case studies.

1.7 Common lead and customer metrics

Lead-to-qualified conversion = qualified leads / total recorded leads. **Win rate** = won opportunities / decided opportunities, if these are the declared denominators. **Customer acquisition cost (CAC)** is commonly acquisition-related sales/marketing cost divided by newly acquired customers over a consistent period. Customer lifetime value (CLV) depends on an explicitly defined profit horizon, retention and discounting conventions; revenue alone is not profit.



Figure 4. Original hypothetical sales pipeline, showing count decreases between qualification stages.

Worked numerical 1: account-pipeline conversion
Over a hypothetical quarter, a supplier records 180 leads, 75 qualified leads, 30 product demonstrations, 12 evaluated proposals and 3 won contracts. Lead-to-qualified conversion $= 75/180 = 41.67\%$. Proposal-to-win conversion $= 3/12 = 25\%$. Overall lead-to-win conversion $= 3/180 = 1.67\%$.
Important: These ratios describe this illustrative funnel and do not establish a good industry benchmark. An accurate real-world funnel must account for cohorts, time delays, lost deals and incomplete decisions.

1.8 Value is broader than the headline price

A buyer can consider installation, training, integration, operating cost, downtime, replacement parts and quality risk. Price is one component of the full offer. Because benefits may be uncertain or nonfinancial, promotional ROI percentages must state their assumptions and evidence source.

Check your understanding
A plant says a proposal is *cheapest*. Which supporting measures would establish whether it is also *best value*? List at least four, including maintenance, technical acceptance and operational risk.

2 Responsible Business-to-Business Strategy

2.1 What responsible B2B strategy involves

Responsible marketing aligns commercial decisions with truthful claims, fair procurement, safe operations, environmental stewardship, legal requirements and appropriate data governance. Responsible procurement may demand more than an attractive supplier score: a firm must investigate material risks and remedy relevant findings.



Figure 5. Original risk-based supplier due-diligence cycle: identify partners, assess, contract, verify and improve.

2.2 Environmental and social supplier considerations

In a hypothetical robotics supply chain, procurement may evaluate energy use during operation, parts repairability, materials traceability, packaging, working conditions, and documented compliance with applicable law. Some impact metrics require lifecycle boundaries and standard methods. A supplier claiming "zero carbon" without a defined accounting scope and evidence has not supplied a credible technical comparison.

Evidence-first checklist
For each supplier: define what is required, request dated supporting evidence, compare it against the criterion, record exceptions, assign remediation owners, and revisit the finding. A generic score or badge is not a substitute for a technical audit.

2.3 Conflicts of interest and ethical commercial claims

Suppliers should avoid bribery, misleading discount deadlines, unauthorized sharing of tender information and false claims of certification. A bid should distinguish performance already demonstrated from performance being proposed. Technical marketing must not treat a prototype's single successful demonstration as proof of a validated production success rate.

2.4 Partner data, privacy and cybersecurity

B2B research can involve customer drawings, shift output, employee interviews and tender price information. Collect only relevant data, specify the business purpose, control access, retain it appropriately and follow relevant legal and contractual requirements. "Responsible AI" claims should describe concrete access controls, training-data boundaries and limitations rather than assume that all AI deployments are ethical by default.

Worked numerical 2: supplier-compliance exception rate
Suppose 7 of 50 audited suppliers have at least one open high-priority finding. The supplier *incidence* is $7/50 = 14\%$. This is not the number of findings, a verified safety incident rate, or evidence that the other 43 suppliers have no hidden issues. Without follow-up, the finding tells us little about actual risk reduction.

2.5 A supplier risk matrix that is honest about uncertainty

Issue	Possible decision and evidence
Unverified performance claim	Require controlled test method and witnessed acceptance criteria
Single-source controller	Ask about substitute designs, repair terms and continuity plans
Safety-sensitive component	Validate applicable standards and document risk assessment
Unclear data ownership	Agree on access, retention, confidentiality and disposal
Environmental claim without scope	Require defined accounting boundary and supporting measurements

Check your understanding
A vendor advertises “100% fault-free automation”. Explain why this is unsubstantiated without a definition of faults, observation duration, sample size and test environment.

3 Researching Business-to-Business Markets

3.1 The research decision comes before the questionnaire

A research project should start with a question that could change a decision. Example: “Do medium-scale automotive-component plants in Pune need inline machine-vision inspection, and what acceptance evidence would justify purchasing it?” This identifies an account type, a problem and an actionable marketing decision. A vague statement such as “research the robotics market” is harder to evaluate.



Figure 6. Original market research workflow from decision question to usable evidence and iteration.

3.2 Primary, secondary, qualitative and quantitative evidence

Primary evidence: interviews, observations, surveys, prototype tests and structured feedback collected for the present question. **Secondary evidence:** existing public reports, standards, procurement documents and published research. **Qualitative** evidence reveals motives and language; **quantitative** evidence estimates patterns in measured samples. No method automatically eliminates bias.

3.3 A careful research protocol

1. Identify the industrial *decision* and what outcome would affect it.
2. Define the relevant account population and inclusion/exclusion criteria.
3. Select interview or survey units: firms, job roles or plants.
4. Choose primary and secondary sources, recording dates and definitions.
5. Collect data ethically, with permission and an audit trail.
6. Screen inconsistencies and analyze themes, counts and uncertainty.
7. Write findings, counter-evidence, assumptions and next decisions.

3.4 The unit of analysis matters

A survey of 25 engineers does not necessarily represent 25 independent companies. If five engineers each work in the same plant, answers may be clustered and correlated. Decide whether the desired statistic describes people, facilities, accounts or purchasing decisions; do not silently treat them as interchangeable.

Worked numerical 3: a bounded addressable market
Suppose a *hypothetical* list identifies 240 industrial plants in a target geography; screening suggests 40% meet a defined automation-need criterion, and 25% of eligible plants have budget in the next year. Then a rough planning estimate is $240 \times 0.40 \times 0.25 = 24$ possible in-budget accounts. It is a scenario estimate, *not* verified market size or evidence that 24 will buy.
If the qualifying proportion were instead 30% or 50%, the comparable estimates would be 18 or 30 accounts. The assumption materially changes the forecast.

3.5 Interviews without leading the witness

Ask open questions such as “What happens when the inspection station rejects a part?” before proposing that a particular AI camera is the solution. Ask what quality metrics are currently recorded, the cost of missed defects, how often false rejects occur, and how purchases are approved. Avoid “Wouldn’t our superior robot solve this problem?” which embeds the desired answer.

3.6 Common sampling and research biases

Convenience samples may overrepresent easy-to-contact customers. Survivorship bias can exclude failed deployments. Recall bias affects estimates of downtime. A low survey response rate can distort results if nonresponders differ systematically. Published market reports can use definitions incompatible with a particular sales territory. Disclose these risks rather than bury them in fine print.

3.7 Competitor analysis and decision support

Compare relevant features on common definitions: application scope, integration requirements, stated service coverage, acceptance evidence, delivery lead

time and total cost assumptions. A truthful matrix may contain “not verified” cells. Avoid ranking competitors by generic marketing language.

Robotics research example
Study inspection vendors for a mixed-model assembly line. Record camera throughput, supported interfaces, changeover procedure, required lighting, false-reject metrics, service terms and documented operating conditions. This creates purchase-relevant evidence rather than a list of logo impressions.

4 Business Market Segmentation

4.1 What makes a useful market segment?

Segmentation divides a market into groups of accounts with reasonably similar needs and likely responses to an offering. Useful groups should be measurable, reachable, strategically relevant and actionable. They should not rely on the assumption that all firms in one named industry behave identically.

4.2 Nested segmentation for industrial markets

Begin with macro characteristics such as industry, firm size and geography. Then consider operating variables (technology, installed base, process maturity), purchasing structures, situational urgency and account-specific evidence. This is a practical adaptation of the nested B2B segmentation approach described in the teaching notes.



Figure 7. Original nested-segmentation diagram. Moving inward requires more account-specific evidence.

4.3 Four illustrative needs-based groups

The source teaching slides describe four *possible* needs-based clusters, which are useful categories for study but not proof that all markets contain exactly four segments:



Figure 8. Original conceptual comparison of price, quality/brand, service and partnership needs. Placement is qualitative, not survey data.

1. **Price-focused:** seeks a straightforward price-to-specification offer, commonly for substitutable purchases.

2. **Quality and brand-focused:** emphasizes performance evidence, quality and reputation.
3. **Service-focused:** places high importance on delivery, uptime, support and response time.
4. **Partnership-focused:** seeks long-term integration, trust, joint development and predictability.

These can overlap: an OEM can be both quality-focused and partnership-focused.

4.4 Segmentation versus targeting and positioning

Segmentation identifies meaningful account groups; **targeting** selects which ones a firm will serve; **positioning** explains the distinct value proposition to those accounts. In an industrial setting, an integrator may focus on small-volume, high-variety manufacturers rather than all factories, then position a modular inspection robot as flexible with clear changeover and support evidence.

4.5 Ideal customer profile (ICP) and buyer persona

An ICP describes organizational characteristics making an account likely to benefit and be feasible to serve: application, installed systems, geography, budget authority and integration readiness. A buyer persona describes the goals and information needs of a stakeholder role within the account. An ICP is not a guarantee of conversion or a license to infer personal private information.

Worked segmentation example: robotics inspection prospects
Start with an illustrative list of 200 factories. Suppose 120 are within the service region, of which 50 operate mixed-model assembly lines, and 18 of those have documented inspection bottlenecks and permission for a technical discussion. The successive filtering counts are 120, 50 and 18: the final segment is $18/200 = 9\%$ of the original list. This is *not* a market-conversion rate or a claim that the 18 firms will buy.
The criteria should be reviewed when new evidence shows that a high-need factory has been excluded because of a misleading initial proxy.

4.6 Simple prioritization with declared weights

A scoring matrix can support a transparent initial discussion. It is not a statistical model unless weights, scales and data have been validated.



Figure 9. Original illustrative comparison of two supplier profiles on declared five-point scales. No real suppliers are represented.

Worked numerical 4: weighted vendor score
Suppose selection criteria have weights: technical fit 40%, service 30%, TCO 20% and information security 10%. Vendor A has scores $(4, 3, 5, 3)$; weighted score $= 0.4(4) + 0.3(3) + 0.2(5) + 0.1(3) = \boxed{3.8/5}$. Vendor B has $(3, 5, 3, 5)$; weighted score $= 0.4(3) + 0.3(5) + 0.2(3) + 0.1(5) = \boxed{3.8/5}$.
Conclusion: They tie under these *assumed* weights, despite different strengths. A real decision should use evidence-based criteria and minimum safety/technical gates, not blindly declare either the "best" because of a rounded score.

Priority scores are not facts
Do not treat attractive scorecard graphics as independently validated market rankings. If a regulatory, safety or specification requirement is mandatory, a failing supplier should not become eligible merely by compensating with a low price elsewhere.

5 Short Exam Notes and Worked Answers

5.1 A complete 7-mark conceptual answer

Question: Explain the process of business-market segmentation with a suitable industrial example. Define segmentation as grouping business accounts by comparable needs. Explain macro variables (industry, size, region), operating variables (installed technology, application), purchasing criteria, situational urgency and company-specific evidence. Describe selection/targeting based on measurable fit and accessibility. Explain positioning for a specific group. For example, a robotic vision vendor may target flexible assembly plants requiring frequent product changeovers. State that actual segmentation must be checked with customer research; firm size alone does not prove shared needs.

5.2 Comparison table for revision

Pair	One-sentence distinction
B2B versus B2C	Organizations buy for operations/production/resale; consumers buy for personal use.
New task / rebuy	New needs require fresh specification; rebuys repeat or modify familiar buying.
Primary / secondary	Collect new question-specific evidence versus evaluate existing sources.
Qualitative / quantitative	Understand reasons and context versus measure counts or relationships.
Segmentation / targeting	Classify markets versus choose accounts to serve.
ICP / buyer persona	Describe a suitable organization versus a stakeholder's role and needs.
Responsible claim / greenwash	Provide verifiable scoped evidence versus vague unsubstantiated benefits.

5.3 Check yourself: twelve questions

1. Explain why derived demand does not necessarily follow a one-to-one pattern.
2. Identify three industrial purchasing situations and one example of each.
3. What are the buying center roles? Must each role belong to a separate person?
4. Compare ABM with broader catalog-product outreach.
5. Define lead qualification, pipeline conversion and CAC denominators.
6. State four practical elements of responsible B2B strategy.

7. How would you verify a vendor's sustainability claim?
8. Give a suitable interview question for factory-inspection demand research.
9. Explain why surveying 25 people does not imply 25 independent organizations.
10. Name four industrial segmentation dimensions.
11. Differentiate segmentation, targeting and positioning.
12. Why can a mandatory safety gate override a weighted supplier score?

Quick Reference: Four Unit II Topics

1. B2B behavior: derived demand, multiple roles, new-task and rebuy situations, technical evidence and account strategy.
2. Responsible strategy: truthful claims, fair sourcing, risk management and appropriate data controls.
3. Research: define a decision, choose sources and units, avoid sampling bias, test assumptions.
4. Segmentation: firmographics → operating needs → purchasing situations → account-specific evidence; then target and position.

References and Usage Notes

Course sources actually read: Official SPPU Business Marketing syllabus (two-page supplied copy); Google Drive college lecture PDF titled *Unit 2_Business To Business Marketing* (the entire extracted text was opened).

Supplementary references: NPTEL Business-to-Business Marketing course, https://nptel.ac.in/courses/110107168; ASCM Supply Chain Operations Reference guidance, https://www.ascm.org/corporate-transformation/standards-tools/scor-ds/. Additional original explanations are presented as pedagogical analysis rather than direct quotes from the lecture slides.

Content boundaries: All numerical values and named cases are hypothetical. Product claims, supplier compliance and industry demand figures must be validated with primary evidence before commercial use. The PDF was checked for layout and selected arithmetic, not formally peer reviewed or accepted as an authorized university publication.

ZENITH STUDY HUB

BUSINESS MARKETING · UNIT II

Question-bank completion supplement | Review candidate

SPPU TE Robotics & Automation | 2024 Pattern | Unit II: 7 teaching hours

Built specifically to complement the existing 17-page Unit II candidate. Question numbering follows the college BM Units I–II question bank (AY 2026–27). This is a teaching document, not an official university answer key.

Coverage

Full applied solutions: Q3, Q4, Q5, Q8, Q9 and Q10. Answer frameworks: Q1, Q2, Q6 and Q7. All cases, segment evaluations and performance numbers are illustrative.

How to use these answers

For each question, write a definition, a labeled sequence/table, a concrete industrial example, and a short conclusion directly addressing the verb (apply, analyse, evaluate or design). State assumptions when recommending a market or vendor.

Primary document basis

Official supplied Business Marketing syllabus, existing Zenith BM Unit II PDF, and the Department of Robotics and Automation question bank. Concepts are organized in the same four-part syllabus sequence: B2B behavior/principles; responsible strategy; B2B market research; market segmentation.

Q3 · Market entry approach for industrial robotic arms

Question focus: Identify and influence organizational buyers at automobile manufacturers.

1. Identify target accounts

List automotive OEMs and tier suppliers with repetitive material handling, welding, inspection or assembly requirements. Screen plant size, existing automation, integration compatibility, budget cycle and decision urgency. Do not assume every automotive firm is a suitable lead.

2. Map the buying center

• Users: production and maintenance teams need uptime, safe operation and easy maintenance.

• Influencers: manufacturing, automation, quality and safety engineers specify payload, cycle time, repeatability and acceptance tests.

• Buyers: procurement compares bids, warranty, lead time and contractual risks.

• Deciders: plant management/finance assess ROI, risk and deployment priority.

• Gatekeepers: purchasing administrators, approved-vendor and security processes control access.

3. Offer stakeholder-specific proof

Conduct plant discovery, document process baseline, propose a pilot and share witnessed trial results. Present installation and downtime costs, training, service SLAs, safety evaluation responsibilities and total cost of ownership. Use precise and testable claims, not guaranteed savings.

4. Coordinate a staged funnel

Account research → technical discussion → site survey → proposal and proof-of-concept → purchase approval → commissioning acceptance → after-sales review. Track qualified opportunities, proposal acceptance and achieved service KPIs.

Conclusion

B2B marketing succeeds when technical evidence, organizational buying roles and the supplier relationship are aligned with customer operational needs.

Q4 · Market research for AGV entry

Question focus: Use B2B research to identify needs, competitors, trends and opportunities.

Stepwise research design

• Research question: Which industrial plants have repetitive internal transport tasks and measurable need for AGVs?

• Secondary research: study factory profiles, public automation reports, competitor specifications, safety documentation and industry updates; record each source date.

• Primary research: interview logistics managers, production engineers and EHS teams; observe transport routes and congestion with permission.

• Sample design: define the population by industry, plant size, geography and task; distinguish number of people interviewed from independent companies studied.

• Need variables: load, aisle width, throughput, shift pattern, battery/charging constraints, floor conditions, integration and service needs.

• Competition: compare published capabilities and customer-validated deployment requirements, not unsupported claims.

• Analysis: cluster accounts by transport complexity, urgency, technical fit and budget; flag missing evidence.

Illustrative application

An automotive components plant with recurring pallet transfers could be a candidate for an AGV trial if route safety, payload, integration and economics check out. A highly variable floor plan may need further site research rather than an immediate sales proposal.

Deliverables and metrics

Produce a segment profile, interview findings, competitor comparison, pilot criteria, budget assumptions and decision risks. Track validated customer problems, trial conversion and adoption only with defined denominators.

Conclusion

Market research converts assumptions about AGV demand into testable evidence and prevents costly entry into unsuitable accounts.

Q5 · B2B buying process for a robotic system

Question focus: Analyse stages of a manufacturing company’s purchase.

Seven-stage answer

• 1. Problem recognition: plant identifies defects, labor constraints or throughput bottleneck.

• 2. Requirements specification: engineering defines throughput, payload, tolerance, interface, safety and acceptance criteria.

• 3. Supplier search and qualification: source vendors, check service coverage, mandatory compliance and proven capability.

• 4. Request and evaluation: seek proposals, test sample workpieces and compare lifecycle costs and risks.

• 5. Negotiation and authorization: procurement, finance and management clarify price, milestones, responsibilities and warranties.

• 6. Ordering and installation: execute contract, integration, commissioning and user training with recorded acceptance.

• 7. Performance review: monitor defects, uptime, cycle time, service issues and contractual outcomes.

Buying situations

A first robotic welding cell is a new task; an existing robot vendor changed after poor delivery is a modified rebuy; routine repurchase of qualified gripper spares is a straight rebuy. In practice, phases may overlap or be governed by formal tenders.

Analytical observation

Engineers, operators, purchasing, finance and managers may weight criteria differently. Marketing should deliver technical evidence for engineers and risk-adjusted lifecycle value for management while preserving factual integrity.

Conclusion

Industrial procurement is a multi-stakeholder decision and continues through post-purchase supplier evaluation.

Q8 · Responsible B2B business strategy

Question focus: Evaluate ethical practices, relationships, sustainability and transparency.

Evaluation matrix

Dimension	Concrete action	Business contribution
Ethics	No bribes; fair bids; accurate claims	Reduces legal/reputational risk
Customer relationship	Clear escalation and support duties	Enables credible repeat business
Sustainability	Measure energy, waste, lifecycle impacts	Informs qualified purchasing
Transparency	Disclose test scope and limitations	Strengthens buying-team trust
Data governance	Limit access; protect plant data	Reduces integration/privacy risk

Trade-offs and practical test

Responsible practices can require supplier audits, traceability and higher short-term costs. Their value should be assessed using measurable outcomes rather than assumed higher sales. For an AI-enabled robot, disclose evaluation data conditions, error rates, integration dependencies and human oversight; avoid claims that the model is universally accurate.

Evidence checklist

For each sustainability or performance claim record: claim → metric → measurement scope → method → date → evidence owner → limitations. Audit subcontractor claims where material.

Conclusion

Responsible strategy integrates commercial success with accountable evidence, fair treatment, reduced harm and dependable long-term cooperation.

Q9 · Select an industrial welding target segment

Question focus: Evaluate automotive, electronics, pharmaceuticals and food-processing customers and recommend a segment.

Segmentation criteria

Use industry and firm size (macro), process type and installed equipment (operating), weld task repeatability and tolerance (needs), required certifications and decision structure (purchasing), and access to service/support (situational).

Qualitative comparison — illustrative only

Sector	Possible fit	Critical uncertainty
Automotive	Repeatable body/component welds	Volume, integration, qualification
Electronics	Precision joining may be relevant	Often different joining technologies
Pharmaceuticals	Specialized fabrication or packaging	Need and validation requirements
Food processing	Stainless equipment fabrication	Sanitation and washdown constraints

Conditional recommendation

Initial target: automotive component plants performing high-volume repeatable welds, provided customer discovery confirms production volume, applicable process fit, purchasing access, economic case and integration capability. This is a scenario recommendation, not a measured claim that automotive is intrinsically the best segment.

Evidence required before a final commercial decision

Compare reachable account counts, validated process need, expected contract value, cost-to-serve, competitor differentiation, qualification time and after-sales support risk. Define weights and mandatory technical gates before scoring.

Conclusion

Segmentation is valuable only when the selected target follows an explicit customer-fit analysis and verified evidence.

Q10 · Launch strategy: AI-enabled industrial robot

Question focus: Design a complete responsible B2B marketing strategy.

Integrated launch blueprint

• Market research: interview production, quality, safety, IT and procurement teams; observe processes and collect baseline defects, cycle times and integration constraints.

• Segmentation: group accounts by industry, manufacturing task, automation maturity, plant size, risk tolerance and data-integration readiness.

• Targeting: prioritize accessible accounts with measurable applications, compatible infrastructure and capacity for safe pilot trials.

• Buyer behavior: map users, influencers, procurement, deciders and gatekeepers; prepare tailored technical, operational and financial evidence.

• Positioning/value proposition: offer a specific improvement hypothesis supported by test protocol, measured performance, implementation plan and lifecycle costs.

• Route to market: combine direct engineering sales for complex accounts with certified integrators where service reach and integration expertise justify partners.

• Responsible strategy: disclose model limitations and dataset conditions, protect customer data, define human oversight and safety validation, and avoid overclaiming autonomy.

• Implementation: discovery → technical fit → controlled pilot → acceptance testing → commercial proposal → commissioning → recurring review.

Example launch scorecard

Use: qualified-account rate, pilot-to-contract conversion, acceptance-test pass rate, mean resolution time, on-time delivery, uptime against a stated denominator and verified customer outcomes. Never use unsupported benchmark figures.

Conclusion

A viable launch combines well-researched accounts, stakeholder-specific proof, credible lifecycle value, ethical claims and post-installation support.

Q1, Q2, Q6 and Q7 · Quick model-answer frameworks

Q1 — Behavior and principles of B2B marketing

Define organizational purchasing for production, operations or resale. Discuss derived demand, a smaller and more concentrated buyer base in many markets, technical evaluation, buying centers, tailored offerings, relationship marketing and formal procurement. Compare with typical B2C purchases on purpose, decision structure, information needs, contract and service; avoid absolute claims.

Q2 — Factors influencing organizational buyer behavior

Cover environmental factors (demand, competition, regulation), organizational factors (budget, policies, technical capability), interpersonal factors (buying-team influence), individual factors (risk preferences, expertise) and purchase situation (new task/modified/straight rebuy). Connect each factor to a robotic-cell purchase.

Q6 — Bases and value of business market segmentation

Explain macro criteria (industry, geography, size), operating criteria (technology, application, capacity), purchasing approaches (centralized procurement, supplier policy), situational criteria (urgency/order size) and buyer needs (cost, quality, service, integration). Illustrate with AGV plants needing standardized recurring transport versus highly variable custom work.

Q7 — Buying-center roles in industrial automation

Define users, influencers, buyers, deciders and gatekeepers; optionally identify initiators. Give each a concrete responsibility and a matching communication requirement. Note that one person may fill multiple roles and that safety/IT reviewers can add approval gates.

Review and source boundaries

Basis: supplied SPPU BM syllabus (Unit II), 17-page Zenith BM Unit II v1, departmental BM AY 2026–27 question bank. These four answers are condensed revision frameworks, not full-length essays. All case comparisons and strategic recommendations are educational scenarios. Technical compliance and AI model performance require independent domain verification before real-world use.